

=> d his

(FILE 'HOME' ENTERED AT 16:28:08 ON 17 OCT 2002)

INDEX 'ADISALERTS, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI,
BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO,
CABA,
CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB,
DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 16:28:15 ON
17 OCT 2002

SEA PLASMID OR VECTOR

1351 FILE ADISALERTS
421 FILE ADISINSIGHT
284 FILE ADISNEWS
25115 FILE AGRICOLA
481 FILE ANABSTR
5999 FILE AQUASCI
7669 FILE BIOBUSINESS
4312 FILE BIOCOMMERCE
184782 FILE BIOSIS
81702 FILE BIOTECHABS
81702 FILE BIOTECHDS
82811 FILE BIOTECHNO
61392 FILE CABA
38268 FILE CANCERLIT
225274 FILE CAPLUS
9262 FILE CEABA-VTB
131 FILE CEN
1856 FILE CIN
4263 FILE CONFSCI
1864 FILE CROPB
3672 FILE CROPU
707 FILE DDFB
3167 FILE DDFU
280300 FILE DGENE
707 FILE DRUGB
2 FILE DRUGLAUNCH
742 FILE DRUGNL
6017 FILE DRUGU
681 FILE DRUGUPDATES
1107 FILE EMBAL
100011 FILE EMBASE
46515 FILE ESBIOWBASE
7663 FILE FEDRIP
2 FILE FOMAD
1442 FILE FROSTI
4719 FILE FSTA
14993882 FILE GENBANK
617 FILE HEALSAFE
40120 FILE IFIPAT
33598 FILE JICST-EPLUS
99 FILE KOSMET
76493 FILE LIFESCI
132 FILE MEDICONF
152599 FILE MEDLINE
953 FILE NIOSHTIC
25253 FILE NTIS

1553 FILE OCEAN
111144 FILE PASCAL
563 FILE HAR
288 FILE PHARMAML
19 FILE PHIC
2147 FILE PHIN
25319 FILE PROMT
172313 FILE SCISEARCH
2 FILE SYNTHLINE
68676 FILE TOXCENTER
136465 FILE USPATFULL
1312 FILE USPAT2
688 FILE VETB
1638 FILE VETU
60496 FILE WPIDS
60496 FILE WPINDEX
L1 QUE PLASMID OR VECTOR

FILE 'BIOSIS, CAPLUS, SCISEARCH, PASCAL, DGENE, MEDLINE, EMBASE' ENTERED
AT 16:30:06 ON 17 OCT 2002

L2 37 S L1 AND KETOGLULONIGENIUM
L3 26 S L2 AND REPLICON
L4 26 DUP REM L3 (0 DUPLICATES REMOVED)
L5 0 S L2 AND PY<2000

=> d 14 ibib ab 16-26

L4 ANSWER 16 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18312 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018 66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 17 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18311 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a

specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018 66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of

certain genes of **Ketogulonigenium** in E.coli as the latter is an efficient host for amplification of **vector** DNA. AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 18 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18310 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising **Ketogulonigenium replicon** found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in E.coli as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 19 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18309 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising **Ketogulonigenium replicon** found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in E.coli as the latter is an efficient host for amplification of **vector** DNA. The present DNA

sequence represents the region of **Ketogulonigenium** endogenous plasmid pADM291 that supports **plasmid vector** replication.

L4 ANSWER 20 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18308 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -
INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018 66p
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]
AB The present invention relates to the isolation of **vectors**
comprising a **Ketogulonigenium replicon** found on the
endogenous **plasmid**, pADM291. The invention also describes
methods of transforming host cells with the **vectors** and
producing polypeptides and/or antisense transcripts by culturing the
transformed host cells. The **vectors** are useful for transforming
a host cell by conjugation or electroporation. The **vectors**
which have a **replicon** functional in both
Ketogulonigenium and *Escherichia coli*, enable the cloning of
certain genes of **Ketogulonigenium** in *E.coli* as the latter is an
efficient host for amplification of **vector** DNA. The present DNA
sequence represents the shuttle **vector plasmid**
pADM291-4.

L4 ANSWER 21 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18307 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -
INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018 66p
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]
AB The present invention relates to the isolation of **vectors**
comprising a **Ketogulonigenium replicon** found on the
endogenous **plasmid**, pADM291. The invention also describes
methods of transforming host cells with the **vectors** and
producing polypeptides and/or antisense transcripts by culturing the
transformed host cells. The **vectors** are useful for transforming
a host cell by conjugation or electroporation. The **vectors**
which have a **replicon** functional in both
Ketogulonigenium and *Escherichia coli*, enable the cloning of
certain genes of **Ketogulonigenium** in *E.coli* as the latter is an
efficient host for amplification of **vector** DNA. The present DNA
sequence represents the **Ketogulonigenium** endogenous
plasmid pADM291.

L4 ANSWER 22 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18306 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]

66p

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA. The present DNA sequence represents the **replicon** of **Ketogulonigenium** endogenous **plasmid** pADM291.

L4 ANSWER 23 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS17226 DNA DGENE
TITLE: New bacterium of **Ketogulonigenium** genus, useful for producing 2-keto-L-gulonic acid from sorbose or sorbitol, comprises transgene containing DNA sequence from endogenous **Ketogulonigenium plasmid** -

INVENTOR: D'Elia J; Stoddard S F
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
(STOD-I) STODDARD S F.
PATENT INFO: WO 2001077348 A2 20011018
APPLICATION INFO: WO 2001-US11097 20010405
PRIORITY INFO: US 2000-194627P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-041295 [05]
AB The present invention relates to a new bacterium of genus **Ketogulonigenium**. **Ketogulonigenium** may further comprise a transgene, comprising a DNA sequence from an endogenous **Ketogulonigenium plasmid**. Methods for transforming **Ketogulonigenium** are also described. The invention is useful for producing 2-keto-L-gulonic acid (2-KLG) from L-sorbose or sorbitol. The present sequence represents the nucleotide sequence of **replicon** #2 on the **Ketogulonigenium** endogenous **plasmid** pADM6L1. Note: The present sequence for SEQ ID No 5 given in the sequence listing is different from that given for SEQ ID No 5 in Fig 5 (AAS17123).

L4 ANSWER 24 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS17225 DNA DGENE
TITLE: New bacterium of **Ketogulonigenium** genus, useful for producing 2-keto-L-gulonic acid from sorbose or sorbitol, comprises transgene containing DNA sequence from endogenous **Ketogulonigenium plasmid** -
INVENTOR: D'Elia J; Stoddard S F
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
(STOD-I) STODDARD S F.

PATENT INFO: WO 2001077348 A2 20011018
APPLICATION INFO: WO 2001-US11097 20010405
PRIORITY INFO: US 2000-194627P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-041295 [05]

116p

AB The present invention relates to a new bacterium of genus **Ketogulonigenium**. **Ketogulonigenium** may further comprise a transgene, comprising a DNA sequence from an endogenous **Ketogulonigenium plasmid**. Methods for transforming **Ketogulonigenium** are also described. The invention is useful for producing 2-keto-L-gulonic acid (2-KLG) from L-sorbose or sorbitol. The present sequence represents the nucleotide sequence of the **replicon** on the **Ketogulonigenium** endogenous **plasmid** pADMX6L3.

L4 ANSWER 25 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS17124 DNA DGENE

TITLE: New bacterium of **Ketogulonigenium** genus, useful for producing 2-keto-L-gulonic acid from sorbose or sorbitol, comprises transgene containing DNA sequence from endogenous **Ketogulonigenium plasmid** -

INVENTOR: D'Elia J; Stoddard S F
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
(STOD-I) STODDARD S F.

PATENT INFO: WO 2001077348 A2 20011018

116p

APPLICATION INFO: WO 2001-US11097 20010405

PRIORITY INFO: US 2000-194627P 20000405

DOCUMENT TYPE: Patent
LANGUAGE: English

OTHER SOURCE: 2002-041295 [05]

AB The present invention relates to a new bacterium of genus **Ketogulonigenium**. **Ketogulonigenium** may further comprise a transgene, comprising a DNA sequence from an endogenous **Ketogulonigenium plasmid**. Methods for transforming **Ketogulonigenium** are also described. The invention is useful for producing 2-keto-L-gulonic acid (2-KLG) from L-sorbose or sorbitol. The present sequence represents the nucleotide sequence of the **replicon** on the **Ketogulonigenium** endogenous **plasmid** pADMX6L2.

L4 ANSWER 26 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS17123 DNA DGENE

TITLE: New bacterium of **Ketogulonigenium** genus, useful for producing 2-keto-L-gulonic acid from sorbose or sorbitol, comprises transgene containing DNA sequence from endogenous **Ketogulonigenium plasmid** -

INVENTOR: D'Elia J; Stoddard S F
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
(STOD-I) STODDARD S F.

PATENT INFO: WO 2001077348 A2 20011018

116p

APPLICATION INFO: WO 2001-US11097 20010405

PRIORITY INFO: US 2000-194627P 20000405

DOCUMENT TYPE: Patent
LANGUAGE: English

OTHER SOURCE: 2002-041295 [05]

AB The present invention relates to a new bacterium of genus **Ketogulonigenium**. **Ketogulonigenium** may further comprise a transgene, comprising a DNA sequence from an endogenous **Ketogulonigenium plasmid**. Methods for transforming **Ketogulonigenium** are also described. The invention is useful for producing 2-keto-L-gulonic acid (2-KLG) from L-sorbose or sorbitol. The present sequence represents the nucleotide sequence of **replicon** #1 on the **Ketogulonigenium** endogenous **plasmid**

pADMX6L1. Note: The present sequence for SEQ ID No 5 given in Fig 5 is different from that given for SEQ ID No 5 in the sequence listing (AAS17226).

=> d his

(FILE 'HOME' ENTERED AT 16:28:08 ON 17 OCT 2002)

INDEX 'ADISALERTS, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI, BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DRUGB, DRUGLAUNCH, DRUGMONOG2, ...' ENTERED AT 16:28:15 ON 17 OCT 2002

SEA PLASMID OR VECTOR

1351 FILE ADISALERTS
421 FILE ADISINSIGHT
284 FILE ADISNEWS
25115 FILE AGRICOLA
481 FILE ANABSTR
5999 FILE AQUASCI
7669 FILE BIOBUSINESS
4312 FILE BIOCOMMERCE
184782 FILE BIOSIS
81702 FILE BIOTECHABS
81702 FILE BIOTECHDS
82811 FILE BIOTECHNO
61392 FILE CABA
38268 FILE CANCERLIT
225274 FILE CAPLUS
9262 FILE CEABA-VTB
131 FILE CEN
1856 FILE CIN
4263 FILE CONFSCI
1864 FILE CROPB
3672 FILE CROPU
707 FILE DDFB
3167 FILE DDFU
280300 FILE DGENE
707 FILE DRUGB
2 FILE DRUGLAUNCH
743 FILE DRUGNL
6017 FILE DRUGU
681 FILE DRUGUPDATES
1107 FILE EMBAL
100011 FILE EMBASE
46515 FILE ESBIOWBASE
7663 FILE FEDRIP
2 FILE FOMAD
1442 FILE FROSTI
4719 FILE FSTA
14993882 FILE GENBANK
617 FILE HEALSAFE
40120 FILE IFIPAT
33598 FILE JICST-EPLUS
99 FILE KOSMET
76493 FILE LIFESCI
132 FILE MEDICONF
152599 FILE MEDLINE
953 FILE NIOSHTIC
25253 FILE NTIS
1553 FILE OCEAN
111144 FILE PASCAL

563 FILE PHAR
288 FILE HARMAML
19 FILE THIC
2147 FILE PHIN
25319 FILE PROMT
172313 FILE SCISEARCH
2 FILE SYNTHLINE
68676 FILE TOXCENTER
136465 FILE USPATFULL
1312 FILE USPAT2
688 FILE VETB
1638 FILE VETU
60496 FILE WPIDS
60496 FILE WPINDEX
L1 QUE PLASMID OR VECTOR

FILE 'BIOSIS, CAPLUS, SCISEARCH, PASCAL, DGENE, MEDLINE, EMBASE' ENTERED
AT 16:30:06 ON 17 OCT 2002

L2 37 S L1 AND KETOGULONIGENIUM
L3 26 S L2 AND REPLICON
L4 26 DUP REM L3 (0 DUPLICATES REMOVED)

=> s l2 and py<2000

2 FILES SEARCHED...
4 FILES SEARCHED...
L5 0 L2 AND PY<2000

=> d l4 ibib ab 1-15

L4 ANSWER 1 OF 26 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:763210 CAPLUS
DOCUMENT NUMBER: 135:314500
TITLE: Isolation of **Ketogulonigenium** endogenous
plasmids and their encoded replication
proteins and application
INVENTOR(S): D'elia, John; Stoddard, Steven F.
PATENT ASSIGNEE(S): Archer-Daniels-Midland Company, USA
SOURCE: PCT Int. Appl., 116 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001077348	A2	20011018	WO 2001-US11097	20010405
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 2002006665	A1	20020117	US 2001-826191	20010405
PRIORITY APPLN. INFO.:			US 2000-194627P	P 20000405
AB	The present invention relates, in general, to a novel genus of bacteria known as Ketogulonigenium . Specifically, four plasmids are isolated from Ketogulonigenium including pADMX6L1, pADMX6L2, pADMX6L3, and pADMX6IA. Based on sequence similarity to known plasmid-encoded replication proteins, plasmids pADMX6L1,			

pADMX6L2, and pADMX6L3 are found to encode potential **plasmid** replication protein. The present invention further relates to transformed **Ketogulonigenium**, and methods of transforming **Ketogulonigenium**. These **plasmids** from the genus **Ketogulonigenium** may be useful as a basis for cloning and expression **vectors** for ketogulogenic (2-keto-L-gulonic acid-synthesizing genera) bacteria.

L4 ANSWER 2 OF 26 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:763209 CAPLUS
DOCUMENT NUMBER: 135:314499
TITLE: **Ketogulonigenium** endogenous **plasmid**
pADM291, its derived shuttle **vectors** and
their application
INVENTOR(S): D'elia, John
PATENT ASSIGNEE(S): Archer-Daniels-Midland Company, USA
SOURCE: PCT Int. Appl., 66 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001077347	A2	20011018	WO 2001-US11059	20010405
WO 2001077347	A3	20020328		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2002039761	A1	20020404	US 2001-826206	20010405

PRIORITY APPLN. INFO.: US 2000-194625P P 20000405

AB The present invention relates, in general, to **vectors** comprising **Ketogulonigenium** replicons. More specifically, the present invention relates to **vectors** comprising a **Ketogulonigenium** replicon found on the endogenous **plasmid** pADM291 and its derived shuttle **vectors**. The **plasmid** is from the genus **Ketogulonigenium** and may be useful as a basis for cloning and expression **vectors** for ketogulogenic (2-keto-L-gulonic acid-synthesizing genera) bacteria. The present invention further relates to transformed **Ketogulonigenium**, and methods of transforming **Ketogulonigenium**.

L4 ANSWER 3 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18325 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -
INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018 66p
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]
AB The present invention relates to the isolation of **vectors**

comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid** pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 4 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18324 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 5 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18323 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes

methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 6 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18322 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising

Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 7 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18321 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising

Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the

transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 8 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18320 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising

Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 9 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18319 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising

Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors**

which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA. AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 10 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18318 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
 Ketogulonigenium replicon found on a
 specific deposited endogenous **plasmid**, useful for
 producing polypeptides and/or transcripts by culturing host
 cells transformed with **vector** -
INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
 (DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018 66p
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]
AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.
AAS18310-AAS18325 represent PCR primers used to generate DNA fragments of the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 11 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18317 DNA DGENE
TITLE: Novel nucleic acid **vector** comprising
 Ketogulonigenium replicon found on a
 specific deposited endogenous **plasmid**, useful for
 producing polypeptides and/or transcripts by culturing host
 cells transformed with **vector** -
INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
 (DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018 66p
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]
AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of

certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA. AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 12 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18316 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector**

INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA. AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of the **Ketogulonigenium** endogenous **plasmid** pADM291 in the methods of the present invention.

L4 ANSWER 13 OF 26 DGENE (C) 2002 THOMSON DERWENT
ACCESSION NUMBER: AAS18315 DNA DGENE

TITLE: Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a specific deposited endogenous **plasmid**, useful for producing polypeptides and/or transcripts by culturing host cells transformed with **vector**

INVENTOR: D'Elia J
PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.
(DELI-I) D'ELIA J.
PATENT INFO: WO 2001077347 A2 20011018
APPLICATION INFO: WO 2001-US11059 20010405
PRIORITY INFO: US 2000-194625P 20000405
DOCUMENT TYPE: Patent
LANGUAGE: English
OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors** comprising a **Ketogulonigenium replicon** found on the endogenous **plasmid**, pADM291. The invention also describes methods of transforming host cells with the **vectors** and producing polypeptides and/or antisense transcripts by culturing the transformed host cells. The **vectors** are useful for transforming a host cell by conjugation or electroporation. The **vectors** which have a **replicon** functional in both **Ketogulonigenium** and *Escherichia coli*, enable the cloning of certain genes of **Ketogulonigenium** in *E.coli* as the latter is an efficient host for amplification of **vector** DNA.

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in
the methods of the present invention.

L4 ANSWER 14 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18314 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors**
comprising a **Ketogulonigenium replicon** found on the
endogenous **plasmid**, pADM291. The invention also describes
methods of transforming host cells with the **vectors** and
producing polypeptides and/or antisense transcripts by culturing the
transformed host cells. The **vectors** are useful for transforming
a host cell by conjugation or electroporation. The **vectors**
which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of
certain genes of **Ketogulonigenium** in *E.coli* as the latter is an
efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous **plasmid** pADM291 in
the methods of the present invention.

L4 ANSWER 15 OF 26 DGENE (C) 2002 THOMSON DERWENT

ACCESSION NUMBER: AAS18313 DNA DGENE

TITLE:

Novel nucleic acid **vector** comprising
Ketogulonigenium replicon found on a
specific deposited endogenous **plasmid**, useful for
producing polypeptides and/or transcripts by culturing host
cells transformed with **vector** -

INVENTOR: D'Elia J

PATENT ASSIGNEE: (ARCH) ARCHER-DANIELS MIDLAND CO.

(DELI-I) D'ELIA J.

PATENT INFO: WO 2001077347 A2 20011018

66p

APPLICATION INFO: WO 2001-US11059 20010405

PRIORITY INFO: US 2000-194625P 20000405

DOCUMENT TYPE: Patent

LANGUAGE: English

OTHER SOURCE: 2002-049150 [06]

AB The present invention relates to the isolation of **vectors**
comprising a **Ketogulonigenium replicon** found on the
endogenous **plasmid**, pADM291. The invention also describes
methods of transforming host cells with the **vectors** and
producing polypeptides and/or antisense transcripts by culturing the
transformed host cells. The **vectors** are useful for transforming
a host cell by conjugation or electroporation. The **vectors**
which have a **replicon** functional in both

Ketogulonigenium and *Escherichia coli*, enable the cloning of
certain genes of **Ketogulonigenium** in *E.coli* as the latter is an
efficient host for amplification of **vector** DNA.

AAS18310-AAS18325 represent PCR primers used to generate DNA fragments

of

the **Ketogulonigenium** endogenous plasmid pADM291 in
the methods of the present invention.

WEST

Search Results - Record(s) 1 through 6 of 6 returned.**1. Document ID: US 20020064871 A1**

L1: Entry 1 of 6

File: PGPB

May 30, 2002

PGPUB-DOCUMENT-NUMBER: 20020064871

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020064871 A1

TITLE: Endogenous ketogulonigenium plasmid

PUBLICATION-DATE: May 30, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Schmidt, Thomas M.	East Lansing	MI	US	
Stoddard, Steven F.	Decatur	IL	US	

US-CL-CURRENT: 435/320.1 **2. Document ID: US 20020039761 A1**

L1: Entry 2 of 6

File: PGPB

Apr 4, 2002

PGPUB-DOCUMENT-NUMBER: 20020039761

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020039761 A1

TITLE: Ketogulonigenium shuttle vectors

PUBLICATION-DATE: April 4, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
D' Elia, John	Champaign	IL	US	

US-CL-CURRENT: 435/69.1; 435/252.3, 435/320.1, 536/23.7 **3. Document ID: US 20020006665 A1**

L1: Entry 3 of 6

File: PGPB

Jan 17, 2002

PGPUB-DOCUMENT-NUMBER: 20020006665

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020006665 A1

TITLE: Ketogulonigenium endogenous plasmids

PUBLICATION-DATE: January 17, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
D'Elia, John	Champaign	IL	US	
Stoddard, Steven F.	Decatur	IL	US	

US-CL-CURRENT: 435/476; 435/252.3, 435/252.33, 435/320.1, 536/23.7

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KIMC](#) [Drawn Desc](#) [Image](#)

4. Document ID: US 20020039761 A1 WO 200177347 A2 AU 200153162 A

L1: Entry 4 of 6 File: DWPI Apr 4, 2002

DERWENT-ACC-NO: 2002-049150

DERWENT-WEEK: 200227

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Novel nucleic acid vector comprising Ketogulonigenium replicon found on a specific deposited endogenous plasmid, useful for producing polypeptides and/or transcripts by culturing host cells transformed with vector

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KIMC](#) [Drawn Desc](#) [Image](#)

5. Document ID: AU 200151342 A WO 200177348 A2 US 2002006665 A1

L1: Entry 5 of 6 File: DWPI Oct 23, 2001

DERWENT-ACC-NO: 2002-041295

DERWENT-WEEK: 200213

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: New bacterium of Ketogulonigenium genus, useful for producing 2-keto-L-gulonic acid from sorbose or sorbitol, comprises transgene containing DNA sequence from endogenous Ketogulonigenium plasmid

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KIMC](#) [Drawn Desc](#) [Image](#)

6. Document ID: US 20020064871 A1 WO 200177159 A2 AU 200151324 A

L1: Entry 6 of 6 File: DWPI May 30, 2002

DERWENT-ACC-NO: 2001-657165

DERWENT-WEEK: 200240

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: New nucleic acid comprising the sequence of a Ketogulonigenium plasmid designated pADM291 is endogenous to microorganism strain NRRL B-30035

[Full](#) [Title](#) [Citation](#) [Front](#) [Review](#) [Classification](#) [Date](#) [Reference](#) [Sequences](#) [Attachments](#) [Claims](#) [KIMC](#) [Drawn Desc](#) [Image](#)

[Generate Collection](#) [Print](#)

Terms

Documents

6

ketogulonigenium

Display Format: [Change Format](#)[Previous Page](#) [Next Page](#)

WEST[Help](#) [Logout](#) [Interrupt](#)[Main Menu](#) [Search Form](#) [Posting Counts](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#) [Cases](#)**Search Results -**[Terms](#) [Documents](#)

ketogulonigenium 6

[US Patents Full-Text Database](#)
[US Pre-Grant Publication Full-Text Database](#)
[JPO Abstracts Database](#)
[EPO Abstracts Database](#)
[Derwent World Patents Index](#)Database: [IBM Technical Disclosure Bulletins](#)

L1

Search:

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**DATE: Thursday, October 17, 2002 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side	ketogulonigenium	6	result set
DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ			
L1			L1

END OF SEARCH HISTORY